


Notes



CBR	Sub-Base Type 1	Capping Material 6F2
<2%	150	600
2-5%	150 or 350	400 -
5-15%	150 or 225	250 -
>15%	150	-

Rev	Description	By	Date
P1	First issue.	MW	22.11.12

Highway Construction

- Surface Course - 35mm HSCA Wearing course to 905.2 with 10mm aggregate.
- Binder Course - 55mm Dense Bitumen Macadam to 903.
- Road Base - 100mm of Dense Roadbase Macadam to 902.
- Sub-Base - 300mm min. of Type 1 granular material to 801. For exact thicknesses of sub-base and capping layers, please refer to table.

Standard Access Way - Bituminous Construction

Client

**SUN**  
CONTRACTORS LTD

258 Belsize Rd, London, NW6 4BT  
 T.020 7316 1850 F.020 7316 1892  
 Email: [info@suncontractors.co.uk](mailto:info@suncontractors.co.uk)

---

Project  
**MKMA**  
 Coffee Hall, Milton Keynes.

---

Job  
**Highway Construction  
 Details**

Drawing Title  
**Car Park  
 Bituminous Construction**

---

Scale	1:20	Drawn	GS
Date	03.09.07	Checked	
Project No./Discipline	Drawing No.	Revision	
1127-SD-HW-	12	P1	

DRAWING STATUS: PRELIMINARY